




#### Writing a social application in PHP/ MySQL and what happens when a million people show up on opening day

Duleepa "Dups" Wijayawardhana MySQL Community Team



• PHP/MySQL Developer since 1999/2000

- PHP/MySQL Developer since 1999/2000
- MySQL Community Relations Manager in North America since... oh... last week :)

- PHP/MySQL Developer since 1999/2000
- MySQL Community Relations Manager in North America since... oh... last week :)
- Web Developer for MySQL

- PHP/MySQL Developer since 1999/2000
- MySQL Community Relations Manager in North America since... oh... last week :)
- Web Developer for MySQL
- Various positions at BioWare Corp.
  2001-2007

- PHP/MySQL Developer since 1999/2000
- MySQL Community Relations Manager in North America since... oh... last week :)
- Web Developer for MySQL
- Various positions at BioWare Corp.
  2001-2007
- Also run the Annual St. Patricks Day Drunk Dial (<u>http://www.stpatsdrunkdial.com</u>)

• Spent a lot of time screaming at Murphy.

- Spent a lot of time screaming at Murphy.
- Hired by BioWare to help create the BioWare Community Site for Neverwinter Nights (launched June 2002)

- Spent a lot of time screaming at Murphy.
- Hired by BioWare to help create the BioWare Community Site for Neverwinter Nights (launched June 2002)
- Had no clue what to expect, but the rest as they say now is history.

- Spent a lot of time screaming at Murphy.
- Hired by BioWare to help create the BioWare Community Site for Neverwinter Nights (launched June 2002)
- Had no clue what to expect, but the rest as they say now is history.
- Learned lots. Still learning...

- Spent a lot of time screaming at Murphy.
- Hired by BioWare to help create the BioWare Community Site for Neverwinter Nights (launched June 2002)
- Had no clue what to expect, but the rest as they say now is history.
- Learned lots. Still learning...
- Insanity...

- A History of Disaster
- Launching the BioWare Community

- A History of Disaster
- Launching the BioWare
  Community
- Pain Points of an Application

 What skill must you have to be a web developer/sysadmin in charge of a major web application?

- What skill must you have to be a web developer/sysadmin in charge of a major web application?
- The answer: "You must be slightly insane!"

- What skill must you have to be a web developer/sysadmin in charge of a major web application?
- The answer: "You must be slightly insane!"
- ... and perhaps slightly masochistic :)

• Web Server Crashes (typical)

- Web Server Crashes (typical)
- Load Balancer Crashes

- Web Server Crashes (typical)
- Load Balancer Crashes
- Major Mail System crashes

- Web Server Crashes (typical)
- Load Balancer Crashes
- Major Mail System crashes
- File System Crashes (or how I came to hate NFS)

- Web Server Crashes (typical)
- Load Balancer Crashes
- Major Mail System crashes
- File System Crashes (or how I came to hate NFS)
- Database Crashes (sigh)

- Web Server Crashes (typical)
- Load Balancer Crashes
- Major Mail System crashes
- File System Crashes (or how I came to hate NFS)
- Database Crashes (sigh)
- Power outage in the building


Sweden has an incredibly hot summer.
 Who knew.

- Sweden has an incredibly hot summer.
  Who knew.
- Building nearby burns down and takes down the city grid, we sit on the balcony and watch the fire...

- Sweden has an incredibly hot summer.
  Who knew.
- Building nearby burns down and takes down the city grid, we sit on the balcony and watch the fire...
- The toilet explodes and floods.


- Sweden has an incredibly hot summer.
  Who knew.
- Building nearby burns down and takes down the city grid, we sit on the balcony and watch the fire...
- The toilet explodes and floods.
- Someone connects the storm drain to the kitchen sink. Oops.

 Someone pours water on the electric mainboard and explodes your main electrical supply the day before a release. Big Oops.



### **A History of Disaster**

 Imagine running through one amazingly crazy blizzard, drunk as you watch transformers explode and the sweeping cone of darkness spread across the city....You have the presence of mind to do a sequenced shut down but you can't see straight to bring anything back up so you sleep on the server room floor to sober up.




• A site which primarily focuses on interactions between users.

- A site which primarily focuses on interactions between users.
- MySQL.com is not a social application,

- A site which primarily focuses on interactions between users.
- MySQL.com is not a social application,
- "Web 2.0" applications: Facebook, LinkedIn, MySpace, most community sites.

- A site which primarily focuses on interactions between users.
- MySQL.com is not a social application,
- "Web 2.0" applications: Facebook, LinkedIn, MySpace, most community sites.
- Developing and Launching a social application has special "challenges"

#### **Neverwinter Nights Community...**



<u>Cear v15 (NWN2:</u> <u>Persistent Worlds &</u> Multiplayer)

I. Plan to have about 10 times the number of users that you conservatively expect.

- I. Plan to have about 10 times the number of users that you conservatively expect.
- 2. Be prepared for getting 100 times if your marketing has been good.

- I. Plan to have about 10 times the number of users that you conservatively expect.
- 2. Be prepared for getting 100 times if your marketing has been good.
- 3. Be prepared to scale \*EVERY\* aspect of your application: Web, DB, Mail etc.

- I. Plan to have about 10 times the number of users that you conservatively expect.
- 2. Be prepared for getting 100 times if your marketing has been good.
- 3. Be prepared to scale \*EVERY\* aspect of your application: Web, DB, Mail etc.
- 4. Be smart, launch softly.

- I. Plan to have about 10 times the number of users that you conservatively expect.
- 2. Be prepared for getting 100 times if your marketing has been good.
- 3. Be prepared to scale \*EVERY\* aspect of your application: Web, DB, Mail etc.
- 4. Be smart, launch softly.
- 5. Be even smarter, don't launch on a Friday evening.

### **Before the launch**



- All cocky and sure of myself
- What could go wrong?

### After the launch



• A picture is worth a thousand words

 Launched on a Friday afternoon, idea was to have less traffic.

- Launched on a Friday afternoon, idea was to have less traffic.
- Site contained a function to send an alert if database was down, when site went down, it triggered 5,000+ emails in a few mins and took down the mail server

- Launched on a Friday afternoon, idea was to have less traffic.
- Site contained a function to send an alert if database was down, when site went down, it triggered 5,000+ emails in a few mins and took down the mail server
- Not enough slaves to allow the site to function. Ripped apart desktop computers to create functional DB slaves.



• Figure out the "pain" points of an application

- Figure out the "pain" points of an application
- Be prepared to scale every part of your application.

- Figure out the "pain" points of an application
- Be prepared to scale every part of your application.
- Be prepared to sacrifice performance for availability, chances are good you won't be doing the other way around





• Become omniscient and omnipotent.



- Become omniscient and omnipotent.
- Identify Single Points of Failure (SPoF)...

- Become omniscient and omnipotent.
- Identify Single Points of Failure (SPoF)...
- If you have an SPoF... guaranteed it will fail

 Do an SPoF audit on your application, SPoFs can be:

 Do an SPoF audit on your application, SPoFs can be:

**★** external dependencies (isp etc.)

- Do an SPoF audit on your application, SPoFs can be:
  - \* external dependencies (isp etc.)
  - \* physical infrastructure: power.

- Do an SPoF audit on your application, SPoFs can be:
  - \* external dependencies (isp etc.)
  - \* physical infrastructure: power.
  - ★ people

- Do an SPoF audit on your application, SPoFs can be:
  - \* external dependencies (isp etc.)
  - \* physical infrastructure: power.
  - ★ people
  - ★ servers (db, web, load, firewall, dns...)

- Do an SPoF audit on your application, SPoFs can be:
  - \* external dependencies (isp etc.)
  - \* physical infrastructure: power.
  - ★ people
  - ★ servers (db, web, load, firewall, dns...)
  - ★ application hooks/CRONs

#### Pain Point #1: The Web and File Servers

#### Pain Point #1: The Web and File Servers

 A typical PHP application with lots of visitors will have to run on a cluster of web servers.


# Pain Point #1: The Web and File Servers

- A typical PHP application with lots of visitors will have to run on a cluster of web servers.
- Centralized file server or pushed file system?


# Pain Point #1: The Web and File Servers

- A typical PHP application with lots of visitors will have to run on a cluster of web servers.
- Centralized file server or pushed file system?
- Centralized file server can be a bottleneck, pushed file system limits some programming options.

- How will you configure the database.
- Master/Slave?



Sharding? More common amongst newer social applications.



- Perhaps MySQL Proxy?
- We ran MySQL Proxy as a test on MySQL.com, it's getting there!



http://forge.mysql.com/wiki/MySQL\_Proxy

- Perhaps look at Cloud options such as AWS.
- Allows growth at the least cost and lets someone else handle the problem of scaling for traffic!

 Most social applications depend on vast quantities of emails to be sent out.

- Most social applications depend on vast quantities of emails to be sent out.
- What happens when your SMTP server gives up the ghost? Do you run SMTP servers on your web servers? Isolate the SMTP Servers?

- Most social applications depend on vast quantities of emails to be sent out.
- What happens when your SMTP server gives up the ghost? Do you run SMTP servers on your web servers? Isolate the SMTP Servers?
- We dumped mail into a MySQL Db and sent with custom daemon.

# Pain Point #4: Controlling Master/ Slave Writes

- Almost every application of this kind obviously splits out reads to read slaves and writes to masters.
- Use some sort of DNS based load balancing on your DB servers to send queries?

- Replicated setups == Replication Lag.
- Replicated Forum software particularly vulnerable with increased traffic, missing posts etc.
- Slave dependent queries for IDs etc. may cause issues with data integrity.

 Memcached!!! When you write to the database you write to your memcached server, read from memcached before reading from the database again.


- Memcached!!! When you write to the database you write to your memcached server, read from memcached before reading from the database again.
- Are you going to the database too much?
  Counts of Users, Activity etc.?

- Memcached!!! When you write to the database you write to your memcached server, read from memcached before reading from the database again.
- Are you going to the database too much? Counts of Users, Activity etc.?
- Before memcached, we used filesystem files written by system processes.

• XDebug. If you aren't using it. Download it, learn it. Use it. Improve performance of your application. (<u>http://www.xdebug.org</u>)

- XDebug. If you aren't using it. Download it, learn it. Use it. Improve performance of your application. (<u>http://www.xdebug.org</u>)
- Profile your application.

- XDebug. If you aren't using it. Download it, learn it. Use it. Improve performance of your application. (<u>http://www.xdebug.org</u>)
- Profile your application.
- Take a lesson from a high visibility site: Wikipedia, run a fraction of your requests through xdebug and profile.



#### A profile of mysql.com in April 2008

 If a person falls in the forest do you hear the PHP Fatal Error?

- If a person falls in the forest do you hear the PHP Fatal Error?
- Be omniscient in your applications. If something goes wrong do not wait for someone to tell you.

- If a person falls in the forest do you hear the PHP Fatal Error?
- Be omniscient in your applications. If something goes wrong do not wait for someone to tell you.
- Build monitoring into the application, but do you want High Performance?

• Capture your errors and logging into log files which are then monitored.

- Capture your errors and logging into log files which are then monitored.
- Establish a good monitoring tool which monitors not only the Servers but your Application.

- Capture your errors and logging into log files which are then monitored.
- Establish a good monitoring tool which monitors not only the Servers but your Application.
- Shameless plug for both MySQL Enterprise Monitoring and my own open source BigDaddy (bigdaddymonitor.org) which grew out of all these pain points

• In the end a PHP/MySQL application lives and dies on the strength of your queries.

- In the end a PHP/MySQL application lives and dies on the strength of your queries.
- Make sure that you have good indexes on your tables. EXPLAIN always.

- In the end a PHP/MySQL application lives and dies on the strength of your queries.
- Make sure that you have good indexes on your tables. EXPLAIN always.
- Make sure that you have query caching turned on go examine your slow query log.

• Queries do not always scale!

- Queries do not always scale!
- Use some sort of query analyzer, custom or third party.

#### Pain Point #7: Your SQL Queries

- Queries do not always scale!
- Use some sort of query analyzer, custom or third party.
- When you develop, try to test expensive queries against a proper data set size.

• App performance is what the client sees, not what the server/server-op sees

- App performance is what the client sees, not what the server/server-op sees
- DB Setup tuned for "Web 2.0" apps? Ajax applications tend to be less read heavy and more write heavy.

- App performance is what the client sees, not what the server/server-op sees
- DB Setup tuned for "Web 2.0" apps? Ajax applications tend to be less read heavy and more write heavy.
- InnoDB versus MyISAM for primary key lookups.

# Client tuning is essential as much as server tuning. YSlow is one option:

£ ( «	Sun. Systems for MySQL	
MySQL	The world's most popular open source database	
MySQL.com Developer Zone Partners & Solutions Customer Login		
Products • Downloads • Documentation • Services • Customers • Why MySQL? • News & Events • How to Buy		
GET STARTED MySQL Enterprise 30-day Trial MySQL Enterprise Unlimited MySQL Training Free Web Seminars Success Stories Sun Systems for MySQL Contact MySQL	Infobright Data Warehouse for MySQL	INFOBR GHT
1 2 3 4 5 6		
Inspect Performance Stats Components Tools * Help *		
Console HTML CSS Script DOM Net YSlow		
Performance Grade: F (56)		
F 1. Make fewer HTTP requests ♥		
This page has 7 external JavaScript files. This page has 3 external StyleSheets. This page has 23 CSS background images.		
F 2. Use a CDN ₽		
F 3. Add an Expires header ▷		
B 4. Gzip components ▷		
A 5. Put CSS at the top		
B 6. Put JS at the bottom ▷		
A 7. Avoid CSS expressions		

 Over the years pain points have come in all shapes and sizes, including our apache logs :)

- Over the years pain points have come in all shapes and sizes, including our apache logs :)
- We ended up creating a sharded db system with a simple perl script to dump web logs into a MySQL database.

- Over the years pain points have come in all shapes and sizes, including our apache logs :)
- We ended up creating a sharded db system with a simple perl script to dump web logs into a MySQL database.
- Oddly worked as well if not better than a file system.



 Murphy's Extended Law: If a series of events can go wrong, they will do so in the worst possible sequence.

- Murphy's Extended Law: If a series of events can go wrong, they will do so in the worst possible sequence.
  - ★ NFS Crash

- Murphy's Extended Law: If a series of events can go wrong, they will do so in the worst possible sequence.
  - ★ NFS Crash
  - ★ File system corrupt

- Murphy's Extended Law: If a series of events can go wrong, they will do so in the worst possible sequence.
  - ★ NFS Crash
  - ★ File system corrupt
  - ★ DB Crash, Table corrupted

- Murphy's Extended Law: If a series of events can go wrong, they will do so in the worst possible sequence.
  - ★ NFS Crash
  - ★ File system corrupt
  - ★ DB Crash, Table corrupted
  - ★ Backup corrupted by another sequence of events.

- Murphy's Extended Law: If a series of events can go wrong, they will do so in the worst possible sequence.
  - ★ NFS Crash
  - ★ File system corrupt
  - ★ DB Crash, Table corrupted
  - ★ Backup corrupted by another sequence of events.
  - $\star$  I was on holiday

 Murphy Loves Web Application Developers.

- Murphy Loves Web Application Developers.
- Everything goes wrong at some point

- Murphy Loves Web Application Developers.
- Everything goes wrong at some point
- Just be prepared

- Murphy Loves Web Application Developers.
- Everything goes wrong at some point
- Just be prepared
- Eliminate every SPoF (Single Point of Failure) in your system.



